

FIG. 1




FIG. 2

POTASSIUM DICLOFENAC

Formulation B - Average Value of the 6 volunteers




FIG. 3




FIG. 4

POTASSIUM DICLOFENAC
Formulation A - B - C - Average Value of the 6 volunteers




FIG. 5

Mean, overlaid plasma concentration-time curves measured in all volunteers after administration of diclofenac test and reference formulations in linear and log-scale.
Dose administered = 50 mg.




FIG. 6

Mean, overlaid plasma concentration-time profiles measured in all volunteers after administration of diclofenac T₁, T₂, R₁ (CATAFLAM[®]) and R₂ (VOLTAROL[®]) formulations; linear and log scales.




FIGURE 7

Mean plasma concentration-time profile of diclofenac measured in all volunteers after oral administration of T₁ formulation. Linear scale. Vertical bars are SD.




FIGURE 8

Mean plasma concentration-time profile of diclofenac measured in all volunteers after oral administration of T₂ formulation. Linear scale. Vertical bars are SD.




FIGURE 9

Mean plasma concentration-time profile of diclofenac measured in all volunteers after oral administration of R (VOLTARENE® RAPIDE) formulation. Linear scale. Vertical bars are SD.




FIGURE 10

Mean, overlaid plasma concentration-time profile of diclofenac measured in all volunteers after oral administration of T₁, T₂ and R (VOLTARENE® RAPIDE) formulation. Linear and log scales.

